Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	483	(display) near20 (network subnetwork) near20 (address) near10 (tree pie information grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:51
L2	13	(display) near20 (network subnetwork) near20 (address) near10 (tree grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:39
L3	14	(display) near20 (network subnetwork) near20 (address) near10 (tree pie information grid) and ((mask) near10 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:52
L4	0	(controlling manag$5 render$5) near15 (display) near20 (network subnetwork) near20 (address) near10 (highlight$5 annotat$5) near20 (mask origin) near20 (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:54
L5	0	(controlling manag$5 render$5) near15 (display) near20 (network subnetwork) near20 (address) near10 (highlight$5 annotat$5) near20 (mask origin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:54
L6	0	(display) near20 (network subnetwork) near20 (address) near10 (highlight$5 annotat$5) near20 (mask origin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:54
L7	0	(controlling manag$5 render$5) near15 (display) near20 (network subnetwork) near20 (address) near10 (highlight$5 annotat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 10:55
L8	8	(display) near20 (network subnetwork) near20 (address) near10 (highlight$5 annotat$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:01
L9	1	(highlight$5 annotat$5) near20 (network subnetwork) near20 (address) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:02
L10	0	(setting set render$5) near10 (boundary border highlight indicator box) near10 (dsplay presentation) same (network subnetwork) near10 (device element address unit system node) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:06
L11	0	(boundary border highlight indicator box) near10 (dsplay presentation) same (network subnetwork) near10 (device element address unit system node) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:06

L12	3	(boundary border highlight indicator box) near10 (display presentation) same (network subnetwork) near10 (device element address unit system node) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:08
L13	1	(boundary border highlight indicator box) near10 (selected chosen predicted) same (network subnetwork) near10 (device element address unit system node) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:12
L14	35	(highlight) near10 (selected chosen predicted) same (network subnetwork) near10 (device element address unit system node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:24
L15	6605789	(group$5 collect$5 combin$5 gater$5) (network subnetwork) near10 (device element node) near10 (based depend$5 analy$7) near10 (address$5) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:26
L16	0	(group$5 collect$5 combin$5 gater$5) near10 (network subnetwork) near10 (device element node) near10 (based depend$5 analy$7) near10 (address$5) near10 (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:27
L17	75	(group$5 collect$5 combin$5 gater$5) near10 (network subnetwork) near10 (device element node) near10 (based depend$5 analy$7) near10 (address$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:28
L18	120	(group$5 collect$5 combin$5 gater$5 search$5) near10 (network subnetwork) near10 (device element node) near10 (based depend$5 analy$7) near10 (address$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 11:50
L19	70	(group$5 collect$5 combin$5 gater$5 search$5) near10 (network subnetwork) near10 (device element node) near20 (mask$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:04
L20	34	(group$5 collect$5 combin$5 gater$5 search$5) near10 (network subnetwork) near10 (device element node) near20 (address$5) near10 (mask$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:13
L21	110538	(group$5 collect$5 gater$5) near10 (display$5 present$5)(network) near10 (device element node) near20 (address$5) adj10 (mask$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:15
L22	0	(group$5 collect$5 gater$5) near10 (display$5 present$5) near10 (network) near10 (device element node) near20 (address$5) adj10 (mask$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:16

L23	1	(display$5 present$5) near10 (network) near10 (device element node) near20 (address$5) adj10 (mask$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:40
L24	0	"715"/$.ccls. and ((controlling) near5 (display pixel) near5 (network$5) near5 (address$5) near5 (mask))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:41
L25	0	"715"/$.ccls. and ((controlling) near5 (pixel grid) near5 (network$5) near5 (address$5) near5 (mask))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:42
L26	15	(determin$5)near10 (address$5) near5 (mask) near20 (size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 12:55
L27	0	(determin$5)near10 (device node) near5(address$5) near5 (mask) near20 (size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:14
L28	60	715/700,711,713,735,736,737,738,742,853,859,521,512,513, 514.ccls. and ((determin$5 decid$5 calculat$5 comput$5 set$5) near5 (border boundary limit outlin$5) near5 (display window))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:25
L29	2	715/700,711,713,735,736,737,738,742,853,859,521,512,513, 514.ccls. and ((determin$5 decid$5 calculat$5 comput$5 set$5) near5 (border boundary limit outlin$5) near5 (display window)) and (network$5) near3 (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:39
L30	4	715/736.ccls. and ((display window) near5 (network$5) near3 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:46
L31	2	"6404444".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 14:48
L32	0	345/589,613,614,612,626,628,563,564,699.ccls. and ((display window) near5 (network$5) near3 (address))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:59
L33	5	345/589,613,614,612,626,628,563,564,699.ccls. and (network$5) near3 (address)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:47

L34	673	"709"/$.ccls. and (display) near20 (address) near10 (tree pie information grid)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:52
L35	11	"709"/$.ccls. and (display) near20 (address) near10 (tree pie information grid) and (mask) near4 (size bit squad)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 15:53
L36	0	345/589,613,614,612,626,628,563,564,699.ccls. and (generat$5 creat$5 build$5) near4 (network$5) near4 (status information address data) near4 (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:01
L37	297	(generat$5 creat$5 build$5) near4 (network$5) near4 (status information address data) near4 (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:04
L38	1	(generat$5 creat$5 build$5) near4 (network$5) near4 (status information address data) near4 (display) same (mask)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:04
L39	297	(generat$5 creat$5 build$5) near4 (network$5) near4 (status information address data) near4 (display)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/08 16:04
S27	33277	(Optical near5 channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/07 16:57

Your search matched **14** of **1134355** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

boylan Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **Sampled grating DBR laser as a spectroscopic source in multigas detection at 1.52-1.57 μm**
Boylan, K.; Weldon, V.; McDonald, D.; O'Gorman, J.; Hegarty, J.;
Optoelectronics, IEE Proceedings- , Volume: 148 , Issue: 1 , Feb 2001
Pages:19 - 24

[Abstract] [PDF Full-Text (688 KB)] IEE JNL

---

2 **Simulation Modeling Requirements for Determining Soldier Tactical Mission System Effectiveness**
Tollefson, E.S.; Kwinn, M.J.; Martin, P.G.; Boylan, G.L.; Foote, B.L.;
Simulation Conference, 2004. Proceedings of the 2004 Winter , Volume: 1 , December 5-8, 2004
Pages:982 - 990

[Abstract] [PDF Full-Text (396 KB)] IEEE CNF

---

3 **Utilizing dcom in an open system architecture framework for machi monitoring and diagnostics**
Lebold, M.; Reichard, K.; Boylan, D.;
Aerospace Conference, 2003. Proceedings. 2003 IEEE , Volume: 3 , March 8-1 2003
Pages:3_1227 - 3_1236

[Abstract] [PDF Full-Text (1341 KB)] IEEE CNF

---

4 **A sampled grating distributed Bragg reflector laser diode for spectroscopic based multi-gas detection at 1.5 μm**
Boylan, K.; Weldon, V.; McDonald, D.; Rawsthorne, J.; Ogorman, J.O.; Hegar
Lasers and Electro-Optics Europe, 2000. Conference Digest. 2000 Conference

h eee e eee g e ch e ch e e c e e e c e

on , 10-15 Sept 2000
Pages:1 pp.

[Abstract] [PDF Full-Text (92 KB)] IEEE CNF

---

5 **Mobius: a case study [reverse technology transfer]**
Knoth, W.H., Jr.; Boylan, R.; Walsh, S.;
Engineering Management Society, 2000. Proceedings of the 2000 IEEE , 13-1!
Aug. 2000
Pages:47 - 51

[Abstract] [PDF Full-Text (304 KB)] IEEE CNF

---

6 **Key success factors affecting choice in an emergent technology bas**
Boylan, R.; Walsh, S.; Kirchhoff, B.; McDermott, C.; Berg, D.; Mados, H.;
Innovation in Technology Management - The Key to Global Leadership. PICME
'97: Portland International Conference on Management and Technology , 27-3
July 1997
Pages:221

[Abstract] [PDF Full-Text (56 KB)] IEEE CNF

---

7 **Differences in technology management practice in Northern China**
Simons, G.; Boylan, R.; Lucarelli, C.; Wright, F.; Knoth, W.; Tan, A.; Walsh, S
Innovation in Technology Management - The Key to Global Leadership. PICME
'97: Portland International Conference on Management and Technology , 27-3
July 1997
Pages:166 - 169

[Abstract] [PDF Full-Text (344 KB)] IEEE CNF

---

8 **Linking manufacturing acquisition strategies with firm success: evid from the semiconductor silicon industry**
Walsh, S.T.; McDermott, C.; Boylan, R.;
Engineering and Technology Management, 1996. IEMC 96. Proceedings., International Conference on , 18-20 Aug. 1996
Pages:710 - 714

[Abstract] [PDF Full-Text (348 KB)] IEEE CNF

---

9 **Operational Manned Vehicles of the Soviet Union**
Boylan, L.;
OCEANS , Volume: 8 , Sep 1976
Pages:694 - 701

[Abstract] [PDF Full-Text (808 KB)] IEEE CNF

---

10 **Widely tunable twin fiber grating dispersion compensator for 80 Gt**
Fells, J.A.J.; Bennett, P.J.; Feced, R.; Ayliffe, P.; Wakefield, J.; Priddle, H.F.M. Baker, V.; Kanellopoulos, S.E.; Boylan, C.; Sahil, S.; Lee, W.S.; Clements, S.. Hadjifotiou, A.;
Optical Fiber Communication Conference and Exhibit, 2001. OFC 2001 , Volun 4 , 2001

Pages:PD11-1 - PD11-3 vol.4

[Abstract] [PDF Full-Text (228 KB)] IEEE CNF

---

11 **Measuring success in breakthrough**
Dermott, C.M.; Boylan, R.;
Management of Engineering and Technology, 2001. PICMET '01. Portland International Conference on , Volume: 1 , 29 July-2 Aug. 2001
Pages:42 - 42

[Abstract] [PDF Full-Text (75 KB)] IEEE CNF

---

12 **Developing technological entrepreneurship in China**
Burke, R.; Boylan, R.; Walsh, S.;
Engineering and Technology Management, 1998. Pioneering New Technologies Management Issues and Challenges in the Third Millennium. IEMC '98 Proceed International Conference on , 11-13 Oct. 1998
Pages:260 - 265

[Abstract] [PDF Full-Text (552 KB)] IEEE CNF

---

13 **Power-on contention: a reliability issue for logic devices**
Muniandy, R.; Miller, S.; Lim Yew Tee; Boylan, R.;
Physical and Failure Analysis of Integrated Circuits, 1995., Proceedings of the 5th International Symposium on the , 27 Nov.-1 Dec. 1995
Pages:17 - 20

[Abstract] [PDF Full-Text (304 KB)] IEEE CNF

---

14 **Band pass current control**
Rozman, A.F.; Boylan, J.J.;
Applied Power Electronics Conference and Exposition, 1994. APEC '94. Confer Proceedings 1994., Ninth Annual , 13-17 Feb. 1994
Pages:631 - 637 vol.2

[Abstract] [PDF Full-Text (420 KB)] IEEE CNF

---

h eee e eee g e ch e ch e e c e e e c e

Your search matched **1** of **1134355** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

drun Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

1 **Segmenting document images using diagonal white runs and vertica edges**
Waked, B.; Ching Y Suen; Bergler, S.;
Document Analysis and Recognition, 2001. Proceedings. Sixth International Conference on , 10-13 Sept. 2001
Pages:194 - 199

[Abstract] [PDF Full-Text (488 KB)] **IEEE CNF**

h eee e eee g e ch e ch e e c e e e c e

Your search matched **3** of **1134355** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

burroughs<and>lee Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **A multiprocessor-based controller for the control of mechanical manipulators**
Nigam, R.; Lee, C.G.;
Robotics and Automation, IEEE Journal of [legacy, pre - 1988] , Volume: 1 , I: 4 , Dec 1985
Pages:173 - 182

[Abstract] [PDF Full-Text (1088 KB)] **IEEE JNL**

---

2 **Measuring the Management of Estuarine Waters**
Burroughs, R.; Lee, V.;
OCEANS , Volume: 19 , Sep 1987
Pages:1658 - 1661

[Abstract] [PDF Full-Text (336 KB)] **IEEE CNF**

---

3 **A 32b CMOS single-chip RISC type processor**
Marston, A.; Burroughs, G.; Chen, K.-C.; Al Desroches; Emerson, G.; Hsu, J.; R.; Najami, F.; Peebles, A.; Peterson, K.; Saperstein, B.; Wangunhardjo, J.; Wiemann, A.; Wu, R.;
Solid-State Circuits Conference. Digest of Technical Papers. 1987 IEEE International , Volume: XXX , Feb 1987
Pages:28 - 29

[Abstract] [PDF Full-Text (800 KB)] **IEEE CNF**

---

h eee e eee g e ch e ch e e b gh c e e

Your search matched **1** of **1134355** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri new one in the text box.

display<and>'network addresses' Search

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

---

1 **SNA Function Management**
Hoberecht, V.;
Communications, IEEE Transactions on [legacy, pre - 1988] , Volume: 28 , Iss 4 , Apr 1980
Pages:594 - 603

[Abstract] [PDF Full-Text (1024 KB)] **IEEE JNL**

---

h eee e eee g e ch e ch e e c e e